

Israel Journal of B O T A N Y

Formerly: Bulletin of the Research Council of Israel, Section D

INDEX TO VOLUME 16, 1967

UNIVERSITY OF HAWAII LIBRARY

published by

The Weizmann Science Press of Israel

National Council for Research and Development

CONTENTS INDEX

Vol. 16, No. 1, 1967

<i>Fusarium equiseti</i> (Cda.) Sacc. in Israel	A.Z. Joffe and J. Palti	1
Some aspects of stomatal behavior, as observed by means of an improved pressure-drop porometer	D. Shimshi	19
A Jurassic florule from Sinai	J. Lorch	29
Inhibition of apple catechol oxidase by a galactose oxidase inhibitor from <i>Dactylium dendroides</i>	E. Harel, A.M. Mayer, Z. Markus and G. Avigad	38
NOTE		
The use of ethionine for selective isolation of <i>Prymnesium parvum</i> from Lake Tiberias (Lake Kinneret)	M. Rahat and Inka Dor	42
LETTERS TO THE EDITOR		
In support of the critique on the hydrature concept	E. Shmueli and O.P. Cohen	45
Critique of the hydrature concept by Shmueli and Cohen	H. Walter	48
PROCEEDINGS OF THE ISRAEL BOTANICAL SOCIETY		49

Vol. 16, No. 2, 1967

Diploid and tetraploid <i>Hordeum bulbosum</i> L.	J. Katznelson and D. Zohary	57
<i>Chlorophyllum molybdites</i> (Meyer ex Fr.) Mass. in Israel	Zehara Avizohar-Hershenzon	63
On the pollination of <i>Zizyphus spina-christi</i> (L.) Willd. in Israel	J. Galil and M. Zeroni	71
Micro-environmental factors and species interrelationships in three batha associations in the foothill region of the Judean Hills	M. Litav	79
NOTES		
A New <i>Origanum</i> from Israel: <i>Origanum ramonense</i> sp.n.	A. Danin	101
Observations on some fungi and other micro-organisms preserved under mineral oil for 15 years	Y. Gutter and Rivka Barkai-Golan	105

Vol. 16, No. 3, 1967

- The effect of chlorine salinity on growth of bean leaves in thickness and in area
A. Meiri and Alexandra Poljakoff-Mayber 115
- Actinomycin D: Its inhibitory effect on the development of epidermal hairs on seedlings of
Sinapis alba L. *Hava Stein* 124
- A Jurassic flora of Makhtesh Ramon, Israel *J. Lorch* 131
- PROCEEDINGS OF THE 17TH MEETING OF THE GENETIC SOCIETY OF ISRAEL, 1967 157

Vol. 16, No. 4, 1967

- Gibberellin and hull controlled inhibition of germination in *Aegilops kotschy* Boiss.
Judith Wurzbarger and Y. Leshem 181
- The gas diffusion porometer technique and its application to the measurement of leaf mesophyll
 resistance *J. Gale, Alexandra Poljakoff-Mayber and I. Kahane* 187
- Resistance to gas flow through the leaf and its significance to measurements made with
 viscous flow and diffusion porometers *J. Gale and Alexandra Poljakoff-Mayber* 205
- Seed dispersal and germination in *Blepharis persica* (Burm.) Kuntze
Y. Gutterman, A. Witztum and M. Evenari 213
- BOOK REVIEW
- Salinity and aridity: New approaches to old problems *J.I.G.* 235

DATES OF ISSUE

Number 1, November, 1967

Number 3, June, 1968

Number 2, April, 1968

Number 4, September, 1968

AUTHOR INDEX

A

- Aschner, M., 54
 Ashri, A., 160
 Avigad, G., 38
 Avizohar-Hershenzon, Zehara, 63

B

- Barkai-Golan, Rivka, 105
 Ben-Zioni, Aliza, 51
 Berdicevsky, Israella, 54

C

- Cohen, O.P., 45

D

- Danin, A., 53, 101
 Dor, Inka, 42, 54

E

- Ephrat, J., 161
 Erez, A., 52
 Eshed, N., 162
 Evenari, M., 213

F

- Fahn, A., 53
 Frankel, R., 158, 159

G

- Gale, J., 187, 205, 235
 Galil, J., 71
 Galston, A.W., 52
 Galun, E., 53, 158
 Gefen, M., 53
 Goren, R., 52
 Grama, A., 162

- Gutter, Y., 105
 Gutterman, Y., 213
 Guttman, L., 159
 Guttman, Ruth, 159
 Guttman, R., 159

H

- Hadas, S., 54
 Harel, E., 38

I

- Itai, C., 51

J

- Joffe, A.Z., 1

K

- Kahane, I., 187
 Katznelson, J., 57
 Koller, D., 50

L

- Lachover, D., 161
 Lapushner, D., 159
 Lavee, S., 52
 Leiblich, I., 159
 Leshem, Y., 181
 Litav, M., 79
 Lorch, J., 29, 131

M

- Markus, Z., 38
 Mayer, A.M., 38
 Meiri, A., 115
 Moreshet, S., 50

N

- Naftali, G., 159

O

- Oppenheimer, H.R., 50

P

- Palti, J., 1
 Pinthus, M.J., 160
 Poljakoff-Mayber, Alexandra, 115, 187, 205
 Porath, D., 53

R

- Rahat, M., 42, 54

S

- Samish, R.M., 52
 Shimshi, D., 19
 Shmueli, E., 45
 Stanhill, G., 50

- Stein, Hava, 124, 157

V

- Vaadia, Y., 51

W

- Walter, H., 48
 Weinmann, Dvora, 158
 Witztum, A., 213
 Wurzbürger, Judith, 181

Z

- Zeroni, M., 71
 Zohary, D., 57

SUBJECT INDEX

A

- Acanthoideae*, capsule dehiscence in, 213
- Acanthus*,
— *edulis* Forssk., 214
— sp., capsule explosion in, 213
- Actinomycete, 105
- Actinomycin D, inhibition by, of
— development of epidermal hairs on seedlings of *Sinapis alba* L., 124
— incorporation of ¹⁴C-sucrose (phytochrome controlled) into buds of etiolated peas, 52
- Aegilops kotschy* Boiss.,
— germination in, promoted by gibberellin and inhibited by the hulls, 181
- Agaricus*
— *glacioui* Berk., 63
— *guadalupensis* Pat., 64
— *molybdites* Meyer ex Fr., 64
— *morgani* Peck, 64
- Age of the Jurassic flora of Makhtesh Ramon, a report on Middle Bajocian and Bathonian fauna overlying the flora, 154
- Ajuga chia* (Poir.) Schreb., 83
- Alethopteris branneri* (White) Jongmans et Gothan, 138
- Alkanna strigosa* Boiss., 85 et seq.
- Allium*
— *cepa* L., *Fusarium equiseti* isolated from, 9 et seq.
— *hirsutum* Zucc., 83
— *stamineum* Boiss., 84
- Alternaria citri* Ellis et Pierce, 105
- Althaea setosa* Boiss., 85
- Amino acid and kinetin incorporation in tobacco leaf discs which had experienced salinity and water stress, 51
- Amygdalus korschinskii* (Hand.-Mazz.) Bornm., 102
- Analysis
— comparative, of growth and grain yield components of winter and spring wheat, 160
— genetic, of quantitative traits in tomato, 159
- Anchusa strigosa* Labill., 83 et seq.
- Andromonoecious plant, *Zizyphus spina-christi* (L.) Willd., 74
- Andropogon*
— *distachyus* L., 83 et seq.
— *hirtus* L. (= *Hyparrhenia hirta* L.), 88
- Anemone coronaria* L., 83
- Apple, see *Malus sylvestris* Mill.
- Arachis hypogaea* L.
— behavior of stomata in, 19
— var. Dixie Anak, dominant mutant induced in, 160
— var. Dixie Anak, occurrence of *Fusarium equiseti* on kernels of, 13

- Argon, radioactive, a new direct method of measuring stomatal diffusion resistance by means of, 50
- Aridity and salinity (Book review), 235
- Arisarum vulgare* Targ.-Tozz., 83 et seq.
- Aristida caerulescens* Desf., 84
- Artedia squamata* L., 85
- Aspergillus*
— *flavipes* (Bain. et Sart.) Thom. et Church, 105
— *nidulans* (Eidam) Winter, 105
— *niger* v. Tiegh., 105
— *proliferans* G. Smith, 105
— *versicolor* (Vuill.) Tiraboschi, 105
- Asphodelus microcarpus* Viv., 83 et seq.
- Aspideae, 142
- Aspidites* Harris, 142
— *beckeri* Lorch, sp. nov., 142
- Atractylis comosa* Sieb., 84
- Avena sterilis* L., 82 et seq., 113
- Avocado, see *Persea americana*

B

- Bacillus subtilis* Cohn, 105
- Ballota undulata* (Fresen.) Benth., 83 et seq.
- Ballotetalia, 83
- Banana, see *Musa* sp.
- Barley, see *Hordeum vulgare*
- Batha, three associations in the foothill region of the Judean Hills, micro-environmental factors and species interrelationships in, 79
- Bean(s), see *Phaseolus vulgaris*
- Behaviour
— sequences in mice, inheritance of, 159
— stomatal, aspects of, as observed by means of an improved pressure-drop porometer, 19
- Bellevia flexuosa* Boiss., 83
- Bennettiales, 146
- Berseem clover, see *Trifolium alexandrinum*
- Biology of molds which develop on seemingly dry surfaces, 54
- Biota orientalis* Endl., 50
- Blepharis* A.L. Juss., 214
— *edulis* (Forssk.) Pers., 214
— *persica* (Burm.) Kuntze
— seed dispersal and germination in, 213
— synonyms 214 (footnote)
- "Blister" formation in dates, 53
- Brachyphyllum* Brongniart, 36
— cf. *mammillare* Brongniart, 152
— *obesum* Brongniart, 32
— sp., 32, 36

- Breeding brewing barley, a new formula for extract prediction as a tool in, 161
- Briza maxima* L., 83
- Bud(s)
- floral, of *Cucumis sativus* and *C. melo*, *in vitro* culture of, 53
 - pea, etiolated, phytochrome-controlled incorporation of ¹⁴C-sucrose into, and its inhibition by gibberellic acid and actinomycin D, 52
 - peach, the effect of light and temperature on opening, 52
- Bulbs (basal internodes) of some diploid and tetraploid *Hordeum bulbosum* L., 109
- C
- Calophanes* sp., anatomy of capsule, 213
- Capsule dehiscence by explosion in *Blepharis persica* (Burm.) Kuntze and other Acanthaceae, 213
- Carlina involuocrata* Poir., 83 et seq.
- Carnation, see *Dianthus* sp.
- Catechol oxidase in apples, inhibition of, by a galactose oxidase inhibitor from *Dactylium dendroides*, 38
- Centaurea*
- *aegyptiaca* L., 102
 - *damascena* Boiss., 102
 - *eryngioides* Lam., 102
- Chaetoscladium trichospermum* (L.) Boiss., 83 et seq.
- Chlorella vulgaris* Beyernick in the culture from which *Prymnesium parvum* was isolated, 43
- Chloride fluxes in bean roots in relation to free space, 51
- Chlorine salinity, the effect of, on growth of bean leaves in thickness and in area, 115
- Chlorophyceae, 43
- Chlorophyllum*
- *esculentum* Mass., 64
 - *molybdites* (Meyer ex Fr.) Mass. in Israel, 63
 - cortical layer, cheilocystidia, basidia, clamp connections of, 112
 - fairy ring and fruit-bodies, 111
 - var. *marginatum* Smith, 64
 - *morgani* (Peck) Graff, 64
- Chromosomal and cytoplasmic (alternative) hereditary elements in male sterile *Petunia*, 158
- Chroococcus minutus* (Kütz.) Naeg., 43
- Chrysophyceae, 42 et seq.
- Cistus*
- *salviifolius* L., 83
 - *villosus* L., 83 et seq.
- Citrullus vulgaris* Schrad., *Fusarium equiseti* isolated from, and inoculated on, 9 et seq.
- Citrus*
- *aurantifolia* Swingle, *limonium* Swingle, *Fusarium equiseti* isolated from, 13
 - sp. pathogens, 105
- Cladophlebis* Brongniart, 144
- *stricta* Carpentier, 144
- Colletotrichum gloeosporioides* Penz., 105
- Coniferales, 151
- Conifers, drought resistance of, 50
- Control by
- gibberellin and hulls, of germination in *Aegilops kotschy* Boiss., 181
 - phytochrome, of incorporation of ¹⁴C-sucrose into buds of etiolated peas, 52
- Convolvulus dorycnium* L., 84 et seq.
- Coronilla*
- *cretica* L., 56
 - *parviflora* Moench, 56
 - var. *parviflora*, 56
 - var. *pauciflora* Plitm., 56
 - *rostrata* Boiss. et Sprun., 56
 - var. *pauciflora* (Plitm.) Fertig, 56
 - var. *rostrata*, 56
- Cotton, see *Gossypium hirsutum*
- Critique of the hydrature concept by Shmueli and Cohen, 48
- in support of, 45
- Crosses among several barley varieties, inheritance of resistance to race 11 of powdery mildew (*Erysiphe graminis*) in, 162
- Crucianella macrostachys* Boiss., 83
- Crupina crupinastrum* (Moris) Vis., 83 et seq.
- Cucumber, see *Cucumis sativus*
- Cucumis*
- *melo* L. and *sativus* L.
 - *Fusarium equiseti* isolated from and inoculated on, 9 et seq.
 - *in vitro* culture of floral buds of, 53
- Culture, *in vitro*, of floral buds of *Cucumis sativus* and *C. melo*, 53
- Cupressinocladus* Seward emend. Chaloner et Lorch, 36
- sp., 36
- Cupressus glabra* Sudv., 50
- Cyanophyceae, 43
- Cyclamen persicum* Mill., 83 et seq.
- Cymatopleura elliptica* (Breb.) W. Smith, 43
- Cynocrambe prostrata* Gaertn., 91
- Cytoplasmic and chromosomal (alternative) hereditary elements in male sterile *Petunia*, 158
- D
- Dactylis glomerata* L., 83 et seq.
- Dactylium dendroides* (Bull.) Fr., inhibition of apple catechol oxidase by a galactose oxidase inhibitor from, 38
- Dahlia* sp., *Fusarium equiseti* isolated from, 13
- Dates, "blister" formation in, 53
- Dehiscence of capsule by explosion in *Blepharis persica* (Burm.) Kuntze and other Acanthaceae, 213
- Development of epidermal hairs on seedlings of *Sinapis alba* L., inhibitory effect of actinomycin D on, 124

Dianthus

- sp., *Fusarium equiseti* isolated from, 9 et seq.
- *strictus* Banks et Sol., 83 et seq.

Diatomeae, 43

Diffusion

- gas, porometers, 187, 205
- stomatal, a new method of measuring resistance to, 50

Diplodia natalensis P.E., 105Diploid and tetraploid *Hordeum bulbosum* L., 57Dispersal, seed, and germination in *Blepharis persica* (Burm.) Kuntze, 213

Drought resistance of conifers, 50

Dry (seemingly) surfaces, the biology of molds which develop on, 54

E

Echinops

- *adenocaulos* Boiss., 83 et seq.
- *polyceras* Boiss., 102

Echium judaicum Lacaita, 85*Elatocladus* Halle, 151

- *ramonensis* Lorch sp. nov., 151

Ephedra

- *alte* C.A. Mey., 84 et seq.
- *campylopoia* C.A. Mey., 83

Epidermal hairs on seedlings of *Sinapis alba* L., inhibitory effect of actinomycin D on the development of, 124

Equisetales, 132

Equisetum L., 132

- *columnare* Brongniart, 132

Erysiphe graminis DC. (powdery mildew), inheritance of resistance to race 11 of, in crosses among several barley varieties, 162Ethionine, the use of, for selective isolation of *Prymnesium parvum* from Lake Tiberias, 42Etiolated peas, control by phytochrome of ¹⁴C-sucrose incorporation into buds of, and its inhibition by gibberellic acid and actinomycin D, 52

Extract prediction, a new formula for, based on nitrogen content and hull percentage of barley grains, as a tool in breeding brewing barley, 161

F

Fauna, Middle Bajocian and Bathonian, overlying the Jurassic flora of Makhtesh Ramon, 154

Fern(s), fossil, 30, 132

- *indusia* of sori (possibly), 36
- leaves, involute, 145
- unclassified, 36, 140

Feruletum communis, 86

Filicales, 30, 134

Flora (Florule)

- Jurassic

- from Sinai (massif of Jebel Maghara, Northern Sinai), 29

- of Makhtesh Ramon, Israel, 131

- a report on the age of, on the basis of Middle Bajocian and Bathonian fauna overlying the flora, 154

- of Lake Kinneret (Lake Tiberias) hidden, 54

Fluxes, chloride, in bean roots in relation to free space, 51

Foeniculum vulgare Mill., 84

Foothill region of the Judean Hills, micro-environmental factors and species interrelationships in three batha associations in, 79

Formula, new, for extract prediction, based on nitrogen content and hull percentage of barley grains, as a tool in breeding brewing barley, 161

Fumana

- *arabica* L., 83
- *thymifolia* (L.) Spach, 83 et seq.

Fungi preserved under mineral oil for 15 years, observations on some, 105

Fusarium

- *avenaceum* (Fr.) Sacc., 6
- *culmorum* (W.G. Sm.) Sacc., 6 et seq.
- *equiseti* (Cda.) Sacc. in Israel, 1
- var. *bullatum* (Sherb.) Wr., 2
- *moniliforme* Sheld. emend. Snyder et Hansen, 14 et seq.
- *oxysporum* Schlecht. emend. Snyder et Hansen, 14 et seq.
- *roseum* Lk. emend. Snyder et Hansen, 2 et seq.
- *scirpi* Lamb et Fautr., 2
- *semitectum* Berk. et Rav, 2 et seq.
- *solani* (Mart.) App. et Wr. emend. Snyder et Hansen, 6 et seq.
- sp., 105

G

Gagea commutata C. Koch, 83Galactose oxidase inhibitor from *Dactylium dendroides*, 38

Gas diffusion porometer, measurements with, of leaf mesophyll and stomatal resistance to gas and water vapour flow through the leaf, 187, 205

Genetic analysis of a number of quantitative traits in tomato varieties, 159

Genus (genera), new, fossil

- *Piaopteris* Lorch, 134
- *Sellingia* Lorch, 138

Geotrichum candidum Lk. ex Pers., 105

Germination in

- *Aegilops kotschy* Boiss., promoted by gibberellin and inhibited by the hulls, 181
- *Blepharis persica* (Burm.) Kuntze, and seed dispersal, 213

Geropogon glabrum L., 83

Gibberellin (gibberellic acid)

- inhibition by, of phytochrome-controlled ¹⁴C-sucrose incorporation into buds of etiolated peas, 52

- promotion by, of germination in *Aegilops kotschyi* Boiss., 181
- Gossypium hirsutum* L.
 - seeds, *Fusarium equiseti* isolated from, 11
 - stomatal behaviour of, 19
- Groundnuts, see *Arachis hypogaea*
- Growth
 - of bean leaves in thickness and area, the effect of chlorine salinity on, 115
 - of wheat, winter and spring, comparative analysis of, 160
- Gundelia tournefortii* L., 83
- Gymnospermeae 36, 146

H

- Hairs, epidermal, on seedlings of *Sinapis alba* L., inhibitory effect of actinomycin D on the development of, 124
- Haplophyllum poorei* C.C. Townsend, 102
- Helichrysum sanguineum* (L.) Kostel, 83
- Heliotropium rotundifolium* Sieb. ex Lehm., 84 et seq.
- Helminthosporium* sp., 14 et seq.
- Hereditary elements, alternative cytoplasmic and chromosomal, in male sterile *Petunia*, 158
- Hordeum*
 - *bogdanti* Wilem., non-bulbous perennial diploid, 61
 - *bulbosum* L.
 - diploid and tetraploid, 57
 - in batha associations, 82 et seq.
 - *nevkianum* Bowden, non-bulbous perennial diploid, 62
 - *spontaneum* C. Koch in batha associations, 82 et seq.
 - *violacum* Boiss. and Hohen., non-bulbous perennial diploid, 62
 - *vulgare* L.,
 - breeding of brewing, a new formula for extract prediction as a tool in, 161
 - inheritance of resistance to powdery mildew (*Erysiphe graminis*) in, 162

Hull(s)

- inhibition by, of germination in *Aegilops kotschyi* Boiss., 181
- percentage in barley grains applied for extract prediction and used as a tool in breeding brewing barley, 161
- Hybrid combinations, 730, between 140 tomato varieties, a genetic analysis of a number of quantitative traits in, 159
- Hydrature concept, critique of, by Shmueli and Cohen, 48
 - in support of, 45

Hymenomycetes, 63

Hyparrhenia hirta (L.) Stapf., 84 et seq., 113

Hyparrhenietum hirtae, 84 et seq.

I

- Incertae sedis* (possibly *indusia* of fern sori), 36
- Incorporation of
 - kinetin and amino acid into tobacco leaf discs which had experienced salinity and water stress, 51
 - ¹⁴C-sucrose (phytochrome-controlled) into buds of etiolated peas and its inhibition by gibberellic acid and actinomycin D, 52
- Inheritance of
 - behaviour sequences in mice, 159
 - resistance to race 11 of powdery mildew (*Erysiphe graminis*) in crosses among several barley varieties, 162
 - seed coat colour in *Ricinus communis*, 157
- Inhibition of
 - apple catechol oxidase by a galactose oxidase inhibitor from *Dactylium dendroides*, 38
 - development of epidermal hairs on seedlings of *Sinapis alba* L. by actinomycin D, 124
 - germination in *Aegilops kotschyi* Boiss. by hulls, 181
 - incorporation of ¹⁴C-sucrose into buds of etiolated peas by gibberellic acid and actinomycin D, 52
- Inula viscosa* (L.) Ait., 83
- Involute fern leaves, fossil, 145
- Iris sisyrinchium* L., 83
- Isolat(ed)(es)(ion)
 - *Fusarium equiseti* (Cda.) Sacc. in Israel, 2 et seq.
 - seeds, seed species A and B, 153
 - selective, of *Prymnesium parvum* from Lake Tiberias, the use of ethionine for, 42
- Israel
 - *Chlorophyllum molybdites* (Meyer ex Fr.) Mass. in, 63
 - *Fusarium equiseti* (Cda.) Sacc. in, 1
 - Makhtesh Ramon, a Jurassic flora of, 131
 - *Origanum ramonense* Danin sp. n., a new *Origanum* from, 101
 - pollination of *Zizyphus spina-christi* (L.) Willd. in, 71
- Ivanoff effect following leaf excision, 25 et seq.

J

- Judean Hills, micro-environmental factors and species interrelationships in three batha associations in the foothill region of, 79
- Jurassic
 - fauna, Middle Baiocian and Bathonian, of Makhtesh Ramon, Israel, 154
 - flora (florule) from (of)
 - Makhtesh Ramon, 131
 - Sinai (massif of Jebel Maghara, Northern Sinai), 29

K

- Kinetin and amino acid incorporation in tobacco leaf discs which had experienced salinity and water stress, 51

Kinnereth, see Lake

L

Lactuca cretica Desf., 83

Lagoecia cuminoides L., 83 et seq.

Lake Kinneret (Lake Tiberias)

— flora of, hidden, 54

— *Prymnesium parvum* from, 42

Leaf (ves)

— bean, the effect of chlorine salinity on growth in thickness and area of, 115

— fern, involute, 145

— mesophyll resistance to gas diffusion and flow, measurements by viscous flow and diffusion porometers, 187, 205

— tobacco, kinetin and amino acid incorporation in discs of, 51

Lemon, see *Citrus limonium*

Lepiota

— *chlorospora* Copeland, 64

— *esculenta* Mass, Sacc. et Syd. 64

— *guadelupensis* Pat., 64

— *molybdites* (Meyer ex Fr.) Sacc., 64

— *morgani* (Peck) Sacc., 63 et seq.

— *ochrospora* Cooke et Mass., 63 et seq.

Leucocoprinus

— *molybdites* (Meyer ex Fr.) Pat., 63 et seq.

— *morgani* (Peck) Pat. 63

Light, the effect of, on bud opening in the peach, 52

Lime, see *Citrus aurantiifolia*

Linaria aegyptiaca (L.) Dum.-Cours., 83 et seq.

Lycopersicum esculentum Mill.

— *Fusarium equiseti* isolated from, 9 et seq.

— varieties of and hybrid combinations between them, a genetic analysis of a number of quantitative traits in, 159

M

Maize, see *Zea mays*

Majorana syriaca (L.) Feinbr., 82 et seq.

Makhtesh Ramon, Israel, a Jurassic flora of, 131

Male sterile *Petunia*, alternative cytoplasmic and chromosomal hereditary elements in, 158

Malus sylvestris MiU.,

— catechol oxidase purified from, 38

— slices, prevention of browning by a galactose oxidase inhibitor from *Dactylium dendroides* peptide, 38

Marattia Swartz, 30

— *curvinervis* Lorch sp. nov., 30

Marattiaceae, 30

Matoniaceae, 31, 134

Medicago scutellata (L.) Mill., 85

Melanospora sp., 105

Melon, see *Cucumis melo*

Mesophyll, leaf, resistance to gas diffusion and flow 187, 205

Method, new, for

— extract prediction, based on nitrogen content and hull percentage of barley grains, as a tool in breeding brewing barley, 161

— measuring stomatal diffusion resistance by means of radioactive Argon, 50

Mice, the inheritance of behaviour sequences of, 159

Micro-environmental factors and species interrelationships in three batha associations in the foothill region of the Judean Hills, 79

Micro-organisms preserved under mineral oil for 15 years, observations on some, 105

Microcystis pulvereae (Wood) Migula var. *incerta* (Lemim.) Crow., 43

Micromeria

— *graeca* (L.) Benth., 83

— *juliana* (L.) Benth., 83

— *nervosa* (Desf.) Benth., 83 et seq.

— *serpyllifolia* (M.B.) Boiss., 83

Mildew, see *Erysiphe graminis*

Mineral oil, observations on some fungi and other micro-organisms preserved for 15 years under, 105

Molds which develop on seemingly dry surfaces, the biology of, 54

Musa sp., *Fusarium equiseti* isolated from, 9 et seq.

Mutant(s)

— induced, in peanuts, 160

— sporeless, in *Trichoderma viride*, 158

Myxosarcina sp. (sp. nov. Rahat and Dor).

N

Navicula sp., 43

New

— genera

— fossil

— *Piazopteris* Lorch, 134

— *Sellingia* Lorch, 138

— species

— fossil

— *Aspidites beckeri* Lorch, 142

— *Elatocladus ramonensis* Lorch, 151

— *Marattia curvinervis* Lorch, 30

— *Onychiopsis tenuiloba* Lorch, 140

— *Oto-amites ramonensis* Lorch, 146

— *Ptilophyllum* sp. nov. A. Lorch, 148

— *Sellingia microloba* Lorch, 139

— *Williamsonia atractylis* Lorch, 149

— *Origanum ramonense* Danin, 101

— undescribed, *Myxosarcina* sp. (sp. nov. Rahat and Dor), 43

Nicotiana tabacum L. leaf discs which had experienced salinity and water stress, kinetin and amino acid incorporation into, 51

- Nigrospora sphaerica* (Sacc.) Mason, 105
Nitella sp., 46
Nodularia tenuis G.S. West, 43
Noëa (*Noaea*) *mucronata* (Forssk.) Aschers. et Schweinf., 85 et seq.

O

- Oil, mineral, observations on some fungi and other micro-organisms preserved for 15 years under, 105
 Onion, see *Allium cepa*
Ononis leiosperma Boiss., 82
Onychiopsis Yokoyoma, 140
 — *tenuiloba* Lorch sp. nov., 140
Oospora f. *citri-aurantii*
Origanum
 — *dayi* Post, 101
 — *ramonense* Danin sp. nov., a new *Origanum* from Israel, 101
Ornithogalum narbonense L., 83 et seq.
Oryzopsis
 — *caerulescens* (Desf.) Richt., 84 et seq.
 — *miliacea* (L.) Aschers, et Schweinf., 83 et seq.
 Osmundaceae, 30
Osyris alba L., 83 et seq.
Otozamites F. Braun, 146
 — *feistmanteli* Zigno, 146
 — of *mimetes* Harris, 147
 — *ramonensis* Lorch sp. nov., 146
 Oxidase
 — catechol, in apples, 38
 — galactose, from *Dactylium dendroides*, 38

P

- Paecilomyces* sp., 105
Pallenis spinosa (L.) Cass., 83 et seq.
 Peach, see *Persica vulgaris*
 Pea(s), see *Pisum sativum*
 Peanuts, see *Arachis hypogaea*
 Pearl millet, see *Pennisetum glaucum*
Penicillium
 — *digitatum* (Pers.) Sacc., 105
 — *italicum* Wehmer, 105
 — *rubrum* Stoll, 105
 — sp., 105
 — *variable* Sopp., 105
Pennisetum glaucum R. Br., *Fusarium equiseti* isolated from, 9 et seq.
 Peptide obtained from *Dactylium dendroides*, inhibitory effect of, on galactose oxidase and other copper-containing enzymes, 38
Persea americana Mill., *Fusarium equiseti* isolated from and inoculated on, 9 et seq.
Persica vulgaris Mill., the effect of light and temperature on bud opening in, 52
Petunia, male, sterile, alternative cytoplasmic and chromosomal hereditary elements in, 158

- Phagnalon rupestre* (L.) DC., 83 et seq.
Phaseolus vulgaris L.
 — leaf resistances to water vapour and gas flow, 187, 205
 — roots, chloride fluxes in, in relation to free space, 51
 — var. Brittle Wax, effect of chloride salinity on growth of leaves in thickness and area, 115
Phleboteris Brongniart emend. Hirmer et Hoerhammer, 31
 — *branner* White, 31, 137
 — *polypodioides* Brongniart, 31
Phlomis
 — *platystegia* Post, 102
 — *viscosa* Poir., 84
Pholiota glacioui Berk., 64
Phormidium
 — *fragile* Gom., 43
 — *tenuae* Gom., 43
 — *valderianum* Gom., 43
 Phytochrome, control by, of ¹⁴C-sucrose incorporation into buds of etiolated peas, 52
Phytophthora
 — *citrophthora* (Sm. et Sm.) Leon, 105
 — *parasitica* Dast., 105
Piazopteris, Lorch gen. nov., 134
 — *branneri* (White) Lorch comb. nov. 134, 136
Pimpinella cretica Poir., 84
Pinus
 — *brutia* Ten., 50
 — *halepensis* Mill., 50
 — *pinex* L., 50
 — *radiata* D. Don, 50
Pistacia atlantica Desf., 102
Pistacia lentiscus-Ceratonia siliqua assoc., 82
Pisum sativum L., etiolated, incorporation of ¹⁴C-sucrose into buds of, 52
Poa bulbosa L., 83 et seq.
Podonosma syriaca (Labill.) Boiss., 83 et seq., 102
Podozamites F.W. Braun, 153
 — sp., 153
Poinciana revia Raf., *Fusarium equiseti* isolated from, 13
 Pollination of *Zizyphus spina-christi* (L.) Willd. in Israel, 71
 Porometer
 — gas diffusion, technique of, and its application to the measurement of leaf mesophyll resistance, 187, 205
 — pressure-drop, improved, aspects of stomatal behaviour as observed by means of, 19
 — viscous flow, measurements made with, of resistance to gas flow through the leaf, 205
 Potato, see *Solanum tuberosum*
Poterieto-Avenetum, 83 et seq.
Poterietum spinosi
 — *cretarium*, 85 et seq., 113, 114
 — *mediterraneum*, 86
 — *orientale*, 86
 — *substepposum*, 86

Poterium

- *spinosum* L., 82 et seq., 113
- leading role of, due to soil erosion, 98
- *verrucosum* Ehrenb. ex Decne., 85

Powdery mildew, see *Erysiphe graminis*

Prasium majus L., 102

Pressure-drop porometer, improved, aspects of stomatal behaviour as observed by means of, 19

Proterandry in *Zizyphus spina-christi* (L.) Willd., 73 et seq.

Prymnesium parvum Carter, from Lake Tiberias, the use of ethionine for selective isolation of, 42

Psilurus incurvus (Gouan) Schinz et Thell., 85

Psoralea bituminosa L., 83

Pteridophyta 30, et seq., 132

Ptilophyllum Morris, 148

- *acutifolium* Morris, 149
- cf. *cutchense* Morris, 148
- sp. nov. A Lorch, 148

Q

Quantitative traits in tomato varieties, a genetic analysis of, 159

Quercus calliprinos Webb, 96

Quercus calliprinos-Pistacia palaestina assoc., 82

R

Ramon, Makhtesh (Israel),

- Jurassic fauna of, 154
- Jurassic flora of, 131

Ranunculus asiaticus L., 83 et seq.

Resistance to

- drought, of conifers, 50
- gas and/or water vapour diffusion and flow
 - of leaf mesophyll, and its significance to measurements made with viscous flow and diffusion porometers, 187, 205
 - of stomata, a new method of measuring, 50
- powdery mildew (*Erysiphe graminis*), inheritance of, in barley varieties, 162

Rhamnus

- *disperma* Ehrenb. ex Boiss., 102
- *palaestina* Boiss., 96

Rhizoctonia

- *bataticola* (taubh.) Butl., 14
- sp., 14

Ricinus communis L., inheritance of seed coat colour in, 157

Roots

- bean, chloride fluxes in, in relation to free space, 51
- of various plants, *Fusarium equiseti* isolated from, 9 et seq.

Ruellia persica Burm., 214

S

Salinity

- and aridity (Book Review), 235
- effect of
 - on growth of bean leaves in thickness and area, 115
 - on incorporation of kinetin and amino acid into tobacco leaf discs, 51

Salvia

- *cognata* Sam., 84
- *graveolens* Vahl, 84 et seq.
- *hierosolymitana* Boiss., 83
- *judaica* Boiss., 83
- *pinnata* L., 83

Salvia graveolens-*Ballota undulata* assoc., 86

Saprophytes, 105

Schizaeaceae, 32, 138

Sisyrinchium

- *nabataeorum* Eig, 102
- *anthoglosa* Boiss., 83

Sedum rubrum (L.) Thell., 91

Seed(s)

- coat colour in *Ricinus communis*, inheritance of, 157
- dispersal and germination in *Blepharis persica* (Burm.) Kuntze, 213
- of cotton, groundnut, onion, pearl millet and sorghum, *Fusarium equiseti* occurring on and isolated from, 11 et seq.
- species (Coniferales)
 - A, 153
 - B (similar to *Ginkgo sibirica* Heer or to *Strobilites milleri* Seward et Bancroft), 153

Seedlings of *Sinapis alba* L., inhibitory effect of actinomycin D on the development of epidermal hairs on, 124

Sellingia Lorch gen. nov., 138

- *microloba* Lorch sp. nov., 139

Shmueli and Cohen's critique of the hydrature concept, 48

- in support of, 45

Sideritis perfoliata L., 83

Sinai, Northern (massif of Jebel Maghara), a Jurassic florule from, 29

Sinapis alba L., inhibitory effect of actinomycin D on the development of epidermal hairs on, 124

Soils, in Israel, *Fusarium equiseti* studied and isolated from different types of, and under different crops, 6 et seq.

Solanum tuberosum L., source of isolate of *Fusarium equiseti*, 9 et seq.

Sorghum vulgare Pers., *Fusarium equiseti* isolated from seeds of, 11 et seq.

Space, free, chloride fluxes in bean roots in relation to, 51

Species interrelationships and micro-environmental factors in three batha associations in the foothill region of the Judean Hills, 79

Sphenopteris Brongniart, 36, 144

- cf. *fittoni* Seward, 36, 144

Spore measurements of *Fusarium equiseti* from

- seeds, 11
- soil, 7
- wilting plants or decaying roots and fruits, 9

Sporeless mutants in *Trichoderma viride*, 158

Stachypteris Pomel, 32

- *spicans* Pomel, 32 et seq.

Stenotaphrum secundatum (Walt.) Kuntze, 64

Sterile male *Petunia*, alternative cytoplasmic and chromosomal hereditary elements in, 158

Sternbergia clusiana Ker-Gawl. ex Schult., 102

Stipa

- *bromoides* (L.) Dörf., 83 et seq.
- *tortilis* Desf., 83 et seq.

Stomatal

- behaviour, aspects of, 19
- diffusion resistance to, 50, 194 et seq.

Streptomyces sp., 105

Styrax officinalis L., 96

Sucrose (¹⁴C-sucrose) incorporation into buds of etiolated peas, 52

Synechococcus elongatus Naeg., 43

Synedra affinis Kütz., 43

T

Temperature, the effect of, on bud opening in the peach, 52

Tetraploid and diploid *Hordeum bulbosum* L., 57

Teucrium

- *divaricatum* Sieb., 83 et seq.
- *polium* L., 83 et seq.

Thrinia tuberosa (L.) DC., 83

Thuja plicata D. Don, 50

Thymra spicata L., 83

Tiberias, Lake, see Lake Kinneret

Todites Seward emend. Harris, 30

- *williamsonis* (Brongn.) Seward, 30
- var. *goeppertiana* (Muenster apud. Goepfert) Kilpper, 31

Tomato, see *Lycopersicum esculentum*

Toxicity of *Chlorophyllum molybdites* (Meyer ex Fr.) Mass., 67

Trichoderma

- *glaucum* Abbott, *koningi* Oudemans, *lignorum* (Tode) Harz, antagonistic effects in relation to *Fusarium equiseti* (Cda.) Sacc., 6
- *viride* Pers. ex Fr.
- preserved under mineral oil for 15 years, 105

- sporeless mutants in, 158

Trifolium

- *alexandrinum* L., source of isolate of *Fusarium equiseti*, 9 et seq.
- *campestre* Schreb., 91
- *purpureum* Loisel., 91
- *scabrum* L., 91
- *stellatum* L., 91

Triticum spp., see wheat

Tyrosinase, from mushroom, inhibitory effect of, on catechol oxidase, 40

U

Unclassified ferns, fossil, 36, 140

Urginea maritima (L.) Baker, 84

V

Varthemia iphionoides Boiss., 83 et seq.

Varthemietea, 83

Varthemietum iphionoidis desertorum, 53

Viscous flow porometer, measurements with, of resistance to gas flow through leaf, 205

W

Water

- stress, effect of, on kinetin and amino acid incorporation into tobacco leaf discs, 51
- vapour diffusion and loss, resistance of leaf to, 187

Watermelon, see *Citrullus vulgaris*

Wheat, winter (European, vernalized) and spring (Israeli, common), comparative analysis of growth and grain yield components of, 160

Williamsonia Carruthers, 149

- *atractylis* Lorch sp. nov., 149

Y

Yield, comparative analysis of, in spring and winter wheat, 160

Z

Zea mays L.

- behaviour of stomata studied in, 19
 - leaf resistances to water vapour and gas flow in, 187, 205
 - source of isolate of *Fusarium equiseti*, 9, et seq.
- Zizyphus Spina-christi* (L.) Willd. in Israel, pollination of, 71

